


NM10

2

N M 10- / 3



NM10-100H

NM10-250

NM10-600 H

" 3" 3
" T"
" 2"
H

3

3.1

3.1.1

+ 40

3.1.2

24h

+ 35

3.1.3

-5

3.2

2000m

3.3

3

3.4

5°

3.5

3.5.1

3.5.2

(

)

3.5.3

3.6

+ 40

50%

90%

+ 25

4

4.1 ()

+ 40

(2) (3)

4.2

(4)

4.3

5

2

	I/In	Inm = 100 (A)			
		Inm (A)			
		In 63	63 < In 100	250	600
	1.05	1h	2h	2h	2h
	1.30	1h	2h	2h	2h
	3.0	5s	8s	8s	12s

3

	(I/In)		
1	1.0	2h	
2	1.2	2h	1

4

NM10-100 NM10-100H	10In	12In	±20%
NM10-250	10In	12In	±20%
NM10-600	10In	-	±20%

5

	(Inm A)	(Ue V)	(Hz)	Icu kA 380V	Ics kA 380V	mm	(In A)
NM10-100	100	380	50	15	7.5	150	20 30 40 50 60 80 100
NM10-100H	100	380	50	15	10	150	20 30 40 50 60 80 100
NM10-250	250	380	50	20	12.5	200	120 150 170 200 250
NM10-600	600	380	50	30	15	200	300 400 500 600

